



Indoor Air Quality

You are here: [EPA Home](#) [Air](#) [Indoor Air Quality](#) Basic Information

<http://www.epa.gov/iaq/ia-intro.html>
Last updated on Tuesday, November 25th, 2008.

An Introduction to Indoor Air Quality (IAQ)

Contents

- [What Causes Indoor Air Problems?](#)
- [Pollutant Sources](#)
- [Amount of Ventilation](#)
- [Indoor Air Pollution and Health](#)
- [Additional Resources](#)
 - [There are three basic strategies to improve indoor air quality](#)
 - [Measuring Pollutant Levels and Weatherizing Your Home](#)
 - [What if You Live in an Apartment?](#)
 - [Do You Suspect Your Office Has an Indoor Air Problem?](#)

Please Note: The Information provided here comes primarily from EPA's "[The Inside Story: A Guide to Indoor Air Quality](#)". The information provided here is based on current scientific and technical understanding of the issues presented and is reflective of the jurisdictional boundaries established by the statutes governing the co-authoring agencies. Following the advice given will not necessarily provide complete protection in all situations or against all health hazards that may be caused by indoor air pollution.

Pollutants and Sources of Indoor Air Pollution

- Asbestos
- Biological Pollutants
- Carbon Monoxide
- Formaldehyde/Pressed Wood Products
- Household Cleaning and Maintenance, Personal Care, or Hobbies
- Lead
- Nitrogen Dioxide
- Pesticides
- Radon
- Respirable Particles
- Secondhand Smoke/Environmental Tobacco Smoke
- Stoves, Heaters, Fireplaces, and Chimneys

Read "[The Inside Story: A Guide to Indoor Air Quality](#)"

Indoor Air Quality (IAQ)

What Causes Indoor Air Problems?

Indoor pollution sources that release gases or particles into the air are the primary cause of indoor air quality problems in homes. Inadequate ventilation can increase indoor pollutant levels by not bringing in enough outdoor air to dilute emissions from indoor sources and by not carrying indoor air pollutants out of the home. High temperature and humidity levels can also increase concentrations of some pollutants.

Pollutant Sources

There are many sources of indoor air pollution in any home. These include combustion sources such as oil, gas, kerosene, coal, wood, and tobacco products; building materials and furnishings as diverse as deteriorated, asbestos-containing insulation, wet or damp carpet, and cabinetry or furniture made of certain pressed wood products; products for household cleaning and maintenance, personal care, or hobbies; central heating and cooling systems and humidification devices; and outdoor sources such as radon, pesticides, and outdoor air pollution.

The relative importance of any single source depends on how much of a given pollutant it emits and how hazardous those emissions are. In some cases, factors such as how old the source is and whether it is properly maintained are significant. For example, an

improperly adjusted gas stove can emit significantly more carbon monoxide than one that is properly adjusted.

Some sources, such as building materials, furnishings, and household products like air fresheners, release pollutants more or less continuously. Other sources, related to activities carried out in the home, release pollutants intermittently. These include smoking, the use of unvented or malfunctioning stoves, furnaces, or space heaters, the use of solvents in cleaning and hobby activities, the use of paint strippers in redecorating activities, and the use of cleaning products and pesticides in house-keeping. High pollutant concentrations can remain in the air for long periods after some of these activities.

Amount of Ventilation

If too little outdoor air enters a home, pollutants can accumulate to levels that can pose health and comfort problems. Unless they are built with special mechanical means of ventilation, homes that are designed and constructed to minimize the amount of outdoor air that can "leak" into and out of the home may have higher pollutant levels than other homes. However, because some weather conditions can drastically reduce the amount of outdoor air that enters a home, pollutants can build up even in homes that are normally considered "leaky".

How Does Outdoor Air Enter a House?

Outdoor air enters and leaves a house by: infiltration, natural ventilation, and mechanical ventilation. In a process known as infiltration, outdoor air flows into the house through openings, joints, and cracks in walls, floors, and ceilings, and around windows and doors. In natural ventilation, air moves through opened windows and doors. Air movement associated with infiltration and natural ventilation is caused by air temperature differences between indoors and outdoors and by wind. Finally, there are a number of mechanical ventilation devices, from outdoor-vented fans that intermittently remove air from a single room, such as bathrooms and kitchen, to air handling systems that use fans and duct work to continuously remove indoor air and distribute filtered and conditioned outdoor air to strategic points throughout the house. The rate at which outdoor air replaces indoor air is described as the air exchange rate. When there is little infiltration, natural ventilation, or mechanical ventilation, the air exchange rate is low and pollutant levels can increase.

- Read more about [ventilation in buildings](#)

Indoor Air Pollution and Health

Health effects from indoor air pollutants may be experienced soon after exposure or, possibly, years later.

Immediate effects

Immediate effects may show up after a single exposure or repeated exposures. These include irritation of the eyes, nose, and throat, headaches, dizziness, and fatigue. Such immediate effects are usually short-term and treatable. Sometimes the treatment is simply eliminating the person's exposure to the source of the pollution, if it can be identified. Symptoms of some diseases, including asthma, hypersensitivity pneumonitis, and humidifier fever, may also show up soon after exposure to some indoor air

pollutants.

The likelihood of immediate reactions to indoor air pollutants depends on several factors. Age and preexisting medical conditions are two important influences. In other cases, whether a person reacts to a pollutant depends on individual sensitivity, which varies tremendously from person to person. Some people can become sensitized to biological pollutants after repeated exposures, and it appears that some people can become sensitized to chemical pollutants as well.

Certain immediate effects are similar to those from colds or other viral diseases, so it is often difficult to determine if the symptoms are a result of exposure to indoor air pollution. For this reason, it is important to pay attention to the time and place symptoms occur. If the symptoms fade or go away when a person is away from home, for example, an effort should be made to identify indoor air sources that may be possible causes. Some effects may be made worse by an inadequate supply of outdoor air or from the heating, cooling, or humidity conditions prevalent in the home.

Long-term effects

Other health effects may show up either years after exposure has occurred or only after long or repeated periods of exposure. These effects, which include some respiratory diseases, heart disease, and cancer, can be severely debilitating or fatal. It is prudent to try to improve the indoor air quality in your home even if symptoms are not noticeable.

While pollutants commonly found in indoor air are responsible for many harmful effects, there is considerable uncertainty about what concentrations or periods of exposure are necessary to produce specific health problems. People also react very differently to exposure to indoor air pollutants. Further research is needed to better understand which health effects occur after exposure to the average pollutant concentrations found in homes and which occurs from the higher concentrations that occur for short periods of time.

Additional Resources

- [Basic Information About Indoor Air Quality](#)
- [There are three basic strategies to improve indoor air quality](#)
- [Measuring Pollutant Levels and Weatherizing Your Home](#)
- [What if You Live in an Apartment?](#)
- [Do You Suspect Your Office Has an Indoor Air Problem?](#)
- ["The Inside Story: A Guide to Indoor Air Quality"](#)